


L^AT_EX quick reference

Mark Gates

November 19, 2012



This guide is available from <http://web.eecs.utk.edu/~mgates3/>

Copyright ©2007–2011 by Mark Gates.

You may freely copy and modify this document under the [Creative Commons Attribution-ShareAlike license](#). When distributing modified versions, please include your Latex file.

Purpose. This document was initially made as a quick reference to all the commands that I typically use, organized so I can understand it, with examples and without clutter. It also includes many shortcuts that I have defined in my `mgates.sty` file. It is not intended to be exhaustive, nor overly descriptive. Most of the general L^AT_EX commands can be found in the *Not So Short Introduction to L^AT_EX 2_ε* [4]; most of the math in the *Short Math Guide to L^AT_EX* [2]; most of the bibliography information in the BibTeX tutorial [3] and the `natbib` documentation [1].

I also wrote a separate Latex fonts guide.

Contents

1	Commands	3
1.1	Document structure	3
1.2	Page format	4
1.3	Chapters and Sections	5
1.4	Fonts	6
1.5	Reserved characters	7
1.6	Special characters	7
1.7	Accented characters	8
1.8	Special spaces	8
1.9	Special phrases	8
1.10	Line and page breaks	9
1.11	References, citations, footnotes	10
1.12	Hyperlinks	10
2	Environments	11
2.1	Text alignment	11
2.2	Boxes	11
2.3	Block quotes	12
2.4	Verse	12
2.5	Verbatim	12
2.6	Lists	13
2.7	Tables (tabular)	13
2.8	Figures and Tables	14
3	Math	16
3.1	Equation numbering	17
3.2	Sub/superscripts	17
3.3	Fractions and binomial coefficient	18
3.4	Math Fonts	18
3.5	Functions	19
3.6	Accents and over/under commands	20
3.7	Greek	21
3.8	Hebrew	21
3.9	Symbols	22
3.10	Brackets and delimiters	24
3.11	Matrices	25
4	Bibliography using BibTeX	26
4.1	Enabling BibTeX	26
4.2	Bibliography formats	27
4.3	Citation formats and natbib	28
4.4	BibTeX database	29
4.5	Manually formatted bibliographies	29

1 Commands

1.1 Document structure

`\documentclass` [*options*] {*class*}

Common classes

article articles without chapters
proc proceedings, based on article
minimal minimal formatting
report reports with chapters
book real books

Common options

10pt, 11pt, 12pt main font size
a4paper, letterpaper, ... paper size
fleqn equations left-aligned instead of centered
leqno equation numbers on left instead of right
titlepage, notitlepage start new page after title
onecolumn, twocolumn one or two columns
twoside, oneside
landscape paper orientation
openright, openany chapters begin on right page, or any page

Preamble

`\usepackage` [*options*] {*package*}

`\includeonly`{*filenames*}

skip `\include` with listed files

Document

`\begin`{document}

`\include`{*filename*}

start new page with contents of file

`\input`{*filename*}

include contents of file, without starting a new page

`\end`{document}

1.2 Page format

```
\pagestyle{ plain | headings | empty }
plain      page number in footer
headings   page number and chapter in header
empty      no header or footer

\thispagestyle{ plain | headings | empty }
override \pagestyle on a single page

% set 1" margins on 8.5" x 11" paper
% top left is measured from 1", 1"
\topmargin      0in
\oddsidemargin  0in
\evensidemargin 0in
\headheight     0in
\headsep        0in
\topskip        0in
\textheight     9in
\textwidth      6.5in

% set these after the TOC
\setlength{\parindent}{0em}
\setlength{\parskip}{1em}

\setlength\arraycolsep{2pt}
```

1.3 Chapters and Sections

```
\title{...}
\author{John Doe \and Jane Doe}
\date{\today}
\maketitle

\frontmatter % (book only) starts roman numeral page numbering, unnumbered sections

\setcounter{tocdepth}{1} % whether to display sub- or subsections in toc
\tableofcontents

\mainmatter % (book only) starts arabic page & section numbering

\part{...}
\chapter{...}           \chapter*{...}           % (book only)
\section{...}           \section*{...}
\subsection{...}       \subsection*{...}
\subsubsection{...}    \subsubsection*{...}
\paragraph{...}        \paragraph*{...}
\subparagraph{...}     \subparagraph*{...}

\appendix % (book only) starts alphabetic section numbering

\backmatter
```

* Starred versions are unnumbered and not in the table of contents.

Examples:

<p>1 section</p> <p>1.1 subsection</p> <p>1.1.1 subsubsection</p> <p>paragraph Run-in paragraph header. Lorem ipsum dolar blah blah blah blah blah blah blah blah blah blah blah blah</p> <p>subparagraph Run-in paragraph header. Lorem ipsum dolar blah blah blah blah blah blah blah blah blah blah blah blah</p>

1.4 Fonts

Font sizes

Point size	Latex cmd	User-defined *	Sample
5 6	<code>\tiny</code>	<code>\xxxsmall</code>	the quick brown fox
7 8	<code>\scriptsize</code>	<code>\xxsmall</code>	the quick brown fox
8 10	<code>\footnotesize</code>	<code>\xsmall</code>	the quick brown fox
9 11	<code>\small</code>	<code>\small</code>	the quick brown fox
10 12	<code>\normal</code>	<code>\normal</code>	the quick brown fox
12 14	<code>\large</code>	<code>\large</code>	the quick brown fox
14 17	<code>\Large</code>	<code>\xlarge</code>	the quick brown fox
17 20	<code>\LARGE</code>	<code>\xxlarge</code>	the quick brown fox
20 25	<code>\huge</code>	<code>\xxxlarge</code>	the quick brown fox
25 25	<code>\Huge</code>	<code>\xxxxlarge</code>	the quick brown fox

* see mgates.sty file

Fonts

Command	Sample
<code>\textrm</code>	roman
<code>\textsf</code>	sans serif
<code>\texttt</code>	typewriter
<code>\textup</code>	upright
<code>\textsl</code>	<i>slanted</i>
<code>\emph</code>	<i>emphasized</i>
<code>\underline</code>	<u>underline</u>
<code>\textit</code>	<i>italic</i>
<code>\textmd</code>	medium
<code>\textbf</code>	bold font
<code>\textsc</code>	SMALL CAPS
<code>\textnormal</code>	normal

In math mode (e.g. inside $\$...\$$), use the math fonts listed in the math section.

1.5 Reserved characters

Char	Special meaning	Command
#	?	\#
\$	math mode	\\$
%	comment	\%
^	math superscript	\^{}
&	tab stop	\&
_	math subscript	_
{	start parameter	\{
}	end parameter	\}
~	nonbreaking space	\~{}
\	start command	\backslash\$

These can also be typed in the verbatim environment or with `\verb`.

1.6 Special characters

Symbol	Command	Symbol	Command	Symbol	Command
“	‘ ‘	”	" or ’ ’		
‘	‘	,	,		
in-law	in-law	13–67 (en)	13--67	yes—no (em)	yes---no
yes ... no	yes \ldots no	¡No?	?‘No?	¡No!	!‘No!
†	\dag	‡	\ddag		
§	\S	¶	\P		
©	\copyright	®	\textregistered		
£	\pounds	€	\texteuro *		

* in textcomp package

1.7 Accented characters

Char	Command	Char	Command	Char	Command	Char	Command
ò	\‘o	ó	\’o	ô	\^o	õ	\~o
ō	\=o	ô	\.o	ö	\"o	ç	\c c
ö	\u o	õ	\v o	ő	\H o		
ø	\d o	o	\b o	ô	\t oo		
œ	\oe	Œ	\OE	æ	\ae	Æ	\AE
â	\aa	Å	\AA				
ø	\o	Ø	\O	ł	\l	Ł	\L

The first 4 lines can be applied to appropriate characters.

To put accent over i or j , use $\backslash i$ (i) or $\backslash j$ (j).

1.8 Special spaces

Command	Size	1 space	10 spaces
\,	3/8 quad	()	[]
\:	4/8 quad	()	[]
\;	5/8 quad	()	[]
_	en? space	()	[]
\quad	em space	()	[]
\qqquad	2 quad	()	[]
\!	-3/8 quad	()	[]

In math mode, `phantom` reserves space for text without printing it, for example

$$\begin{array}{ll}
 x_1 + x_3 = 2, & \text{\code{x_1 + x_3 = 2,}} \\
 x_1 + x_2 = 5, & \text{\code{x_1 + x_2 = 5,}} \\
 x_1 + x_2 + x_3 = 7. & \text{\code{x_1 + x_2 + x_3 = 7.}}
 \end{array}$$

1.9 Special phrases

Command	Sample
\today	November 19, 2012
\TeX	TeX
\LaTeX	L ^A TeX
\LaTeXe	L ^A TeX 2 _ε

1.10 Line and page breaks

`\\` or `\newline`

line break, without new paragraph. `*` also prohibits page break.

`\linebreak[n]`

`\nolinebreak[n]`

line break, keeping line justified. n ranges from 0 to 4 (most insistent).

For example, here is a paragraph with a newline in it, lorem ipsum dolar blah blah blah
blah blah blah blah blah blah blah blah blah blah blah, `\newline`.
It also has a linebreak in it for comparison, lorem ipsum dolar blah blah blah
blah blah blah blah blah blah blah blah blah blah blah, `\linebreak[4]`.
Notice the difference in justification. Using `\linebreak` can cause “underfull hbox” warn-
ings.

`\newpage`

page break

`\pagebreak[n]`

`\nopagebreak[n]`

page break, keeping line justified. n ranges from 0 to 4 (most insistent).

`\hyphenation{ fortran hy-phen-a-tion }`

list of words and where they may be hyphenated (in preamble).

`\-`

where a word may be hyphenated (in text). Example: `su\~per\~scal\~ar`

`_` space not to enlarge

`\~` space not to enlarge or line break

“Mr. Smith” (`Mr.\ Smith`) or

“Mr. Smith” (`Mr.\~Smith`) instead of

“Mr. Smith” (`Mr. Smith`)

`\@` between capital letter and punctuation that really does end a sentence

“...FORTRAN. But...” (`FORTRAN\@. But`) instead of

“...FORTRAN. But...” (`FORTRAN. But`)

1.11 References, citations, footnotes

`\label{name}` assigns a unique name to an equation, figure, table, or section. For figures and tables, label must be after the caption.

`\eqref{name}` inserts reference to the labeled equation; equivalent to (`\ref{name}`).

`\ref{name}` inserts reference to the label. You must add the descriptive text such as “figure.”

`\pageref{name}` inserts page number of the label.

`\cite{name}` inserts reference to bibliography citation. Name is assigned by `bibitem`, not `label`.

`\footnote{text}` generates a footnote.

See also equation numbering on page 17.

1.12 Hyperlinks

```
\usepackage[options]{hyperref}
```

```
\usepackage[colorlinks, urlcolor=blue, linkcolor=black]{hyperref}
```

To color links, use the `colorlinks` option. To override default colors, specify

`linkcolor red` internal links (sections, pages, etc.)

`citecolor green` citation links (bibliography)

`filecolor magenta` file links

`urlcolor cyan` URL links (mail, web)

```
\href{url}{text}
```

```
\href{http://www.ctan.org/}{CTAN} CTAN
```

```
\href{mailto:noone@example.com}{noone@example.com} noone@example.com
```

2 Environments

2.1 Text alignment

this paragraph is
flush left.

```
\begin{flushleft}  
this paragraph \\  
is flush left.  
\end{flushleft}
```

this paragraph is
flush right.

```
\begin{flushright}  
this paragraph \\  
is flush right.  
\end{flushright}
```

this paragraph is
centered.

```
\begin{center}  
this paragraph \\  
is centered.  
\end{center}
```

2.2 Boxes

Only minipage is an environment, but these are all related.

```
\mbox{...}
```

```
\makebox[width][t|b|c]{...}
```

groups items in a box. Everything must be on one line (?).

```
\fbox{...}
```

```
\framebox[width][t|b|c]{...}
```

framed box. Everything must be on one line (?).

```
\parbox[t|b|c]{width}{...}
```

paragraph box that wraps text.

```
\begin{minipage}[t|b|c]{width} ... \end{minipage}
```

minipage box, similar to parbox but can contain almost anything.

```
\begin{boxedminipage}[t|b|c]{width} ... \end{boxedminipage}
```

with `\usepackage{boxedminipage}`.

```
\rule{width}{height}
```

```
\raisebox
```

page and other parameters to tweak

2.3 Block quotes

```
Martin Luther King Jr. said,  
  
    I have a dream that some-  
    day...
```

```
Martin Luther King Jr. said,  
\begin{quote}  
I have a dream that someday\ldots  
\end{quote}
```

For multiple paragraph quotations, use `quotation` instead of `quote`, to indent the first line of each paragraph.

2.4 Verse

Reverse indents if line wraps.

```
Humpty Dumpty  
  
    Humpty Dumpty sat on a  
    wall:  
    Humpty Dumpty had a great  
    fall.  
    All the King's horses and all  
    the King's men  
    Couldn't put Humpty to-  
    gether again.
```

```
\textbf{Humpty Dumpty}  
\begin{verse}  
Humpty Dumpty sat on a wall:\\  
Humpty Dumpty had a great fall.\\  
All the King's horses and all the  
King's men\\  
Couldn't put Humpty together again.  
\end{verse}
```

2.5 Verbatim

`verbatim` reproduces text exactly as you type it, not interpreting any characters or commands. It was used here for all the LaTeX code listings.

```
\begin{verbatim}  
text can include special characters # $ <  
and \textbf{commands}.  
\end{verbatim}
```

```
\verb+text+  
where the delimiter '+' is any character except letters, *, and space.
```

Adding a star highlights spaces.

```
\begin{verbatim*} ... \end{verbatim*}  
\verb**text with spaces+    text␣with␣spaces
```

2.6 Lists

1. One
3. Two (with special number)
2. Three

```
\begin{enumerate}
\item One
\item[3.] Two (with special number)
\item Three
\end{enumerate}
```

• One
- Two (with special bullet)

```
\begin{itemize}
\item One
\item[-] Two (with special bullet)
\end{itemize}
```

One Description of one
Two Description of two

```
\begin{description}
\item[One] Description of one
\item[Two] Description of two
\end{description}
```

2.7 Tables (tabular)

col1	col2	col3
col1	col2	col3
col1	col2	col3

```
\begin{tabular}{l|ll}
col1 & col2 & col3 \\
\hline
col1 & col2 & col3 \\
col1 & col2 & col3 \\
\end{tabular}
```

In general:

```
\begin{tabular}[t|b|c]{column spec}
col1 & col2 & ... & coln \\
col1 & col2 & ... & coln \\
\end{tabular}
```


In *column spec*, for each column use **l**, **r**, **c** for a left, right, or centered column, **p**{*width*} for a column of given width that wraps text. Use **|** (pipe) for a vertical line between columns. Use **@{...}** to specify the delimiter between columns. An empty **@{}** deletes the gutter or left indent.

Between lines, use `\hline` for a horizontal line.

Use `\multicolumn{n}{column spec}{text}` to have text span multiple columns.

2.8 Figures and Tables

A figure typically includes 1 or more graphics. Example:



```
\begin{figure}[h]
  \centering
  \includegraphics[scale=0.8]{sine}
  \caption{\$\sin(x)\$}
  \label{sine}
\end{figure}
```

A table typically includes a tabular environment; see previous section. Example:

	sales	growth
2000	10,000	15%
2001	12,000	20%

Table 1: Sales growth

```
\begin{table}[h]
  \centering
  \begin{tabular}{ccc}
    & sales & growth \\
    2000 & 10,000 & 15\% \\
    2001 & 12,000 & 20\% \\
  \end{tabular}
  \caption{Sales growth}
  \label{sales-growth}
\end{table}
```

`figure` and `table` take an optional placement specifier:

- `h` *here* in the text
- `t` *top* of a page
- `b` *bottom* of a page
- `p` on a special *page* of only floats
- `!` be insistent

To use `includegraphics`, include `\usepackage[driver]{graphicx}` in the preamble. The *driver* should normally be omitted; if necessary, it is `dvips` for latex and `pdftex` for pdflatex. Files must be eps for dvips, while pdftex takes pdf, jpg, tif, or png. It's convenient to leave off the extension; latex/pdflatex will look for the appropriate file. (In this example, spring.pdf or spring.eps.) Since many journals want eps files instead of pdf files, I often generate eps files first, then convert them to pdf using `epstopdf`.

`includegraphics` options

`width=width` scale to width, maintaining aspect ratio if no height
`height=height` scale to height, maintaining aspect ratio if no width
`angle=degrees` rotate counterclockwise
`scale=scale` resize image by scalar value

3 Math

Surround inline equations with dollar signs, for example `$x=2$` produces $x = 2$. For equations in their own block, use one of the environments below. For unnumbered equations append a `*` star to the environment name. As a shortcut for unnumbered equations, `\[...\]` is the same as `\begin{equation*}...\end{equation*}`.

`equation` sets a single equation (1).

$$x = a + b. \quad (1)$$

```
\begin{equation} \label{x1}
x = a + b.
\end{equation}
```

`gather` sets multiple equations (2,3), centered on each other.

$$\begin{aligned} x &= a + b, & (2) \\ y &= c + d + e + f. & (3) \end{aligned}$$

```
\begin{gather}
x = a + b, \quad \label{x2} \\
y = c + d + e + f. \label{y2}
\end{gather}
```

`align` sets multiple equations (4,5), aligned typically on `=` sign.

$$\begin{aligned} x &= a + b, & (4) \\ y &= c + d + e + f, & (5) \end{aligned}$$

```
\begin{align}
x &= a + b, \quad \label{x3} \\
y &= c + d + e + f, \label{y3}
\end{align}
```

`multline` splits a long equation (6) over multiple lines, distributing the space.

$$\begin{aligned} x &= a + b + c + d + e + f \\ &+ g + h + i + j + k. \\ &+ l + m + n. \end{aligned} \quad (6)$$

```
\begin{multline} \label{x6}
x = a + b + c + d + e + f \\
+ g + h + i + j + k. \\
+ l + m + n.
\end{multline}
```

`split` splits a long equation (7) over multiple lines, aligning it. Use `inside equation`, `align`, or `gather`.

$$\begin{aligned} x &= a + b \\ &= c + d + e. \end{aligned} \quad (7)$$

```
\begin{equation}
\begin{split} \label{x5}
x &= a + b \\
&= c + d + e.
\end{split}
\end{equation}
```

`subequations` assigns all enclosed equations subordinate equation numbering, so (8a,8b) are parts of (8).

$$\begin{aligned} x &= a + b, & (8a) \\ y &= c + d + e + f. & (8b) \end{aligned}$$

```
\begin{subequations} \label{group4}
\begin{align}
x &= a + b, \quad \label{x4} \\
y &= c + d + e + f. \label{y4}
\end{align}
\end{subequations}
```


`align` can also have several columns of equations or descriptions. The `intertext` command is useful to insert text while preserving alignment.

$$\begin{array}{lll} x = 1, & y = 2, & \text{initialize} \\ z = 3, & w = 4, & \end{array}$$

```
\begin{align*}
x &= 1, & y &= 2, & \&\& \text{\text{initialize}} \\
\\
z &= 3, & w &= 4, \\
\intertext{some more text, and}
a &= 5, & b &= 5. \\
\end{align*}
```

some more text, and

$$a = 5, \quad b = 5.$$

The non-AMS command for aligning equations is `eqnarray`, but it produces rather poor spacing and is *not recommended*.

$$\begin{array}{rcl} x & = & a + b, & (9) \\ y & = & c + d + e + f. & (10) \end{array}$$

```
\begin{eqnarray}
x &=& a + b, & \label{x7} \\
y &=& c + d + e + f. & \label{y7} \\
\end{eqnarray}
```

3.1 Equation numbering

`\label{name}` assigns a unique name to an equation.

`\eqref{name}` generates reference to equation; equivalent to `(\ref{name})`

For subequations, both the whole group and individual equations can have labels.

To get equation numbers of form $m.n$ where m is the section number and n is the equation number within section, use `\numberwithin{equation}{section}` in preamble.

See also references on page 10.

3.2 Sub/superscripts

Subscripts are done with `_` underbar, like `x_{1}` for x_1 .

Superscripts are done with `^` caret, like `x^{1}` for x^1 .

Use braces for double sub/superscripts, like `{B^a}^T` for B^{aT} or `\int_{x_1}` for \int_{x_1} .

3.3 Fractions and binomial coefficient

`\frac{numerator}{denominator}` makes fractions in either display or text style, depending on context.

`\dfrac` forces display (big) style.

`\tfrac` forces text (small) style.

Inline: $\frac{1}{2}$, $\dfrac{1}{2}$, $\tfrac{1}{2}$.

In equation:

$\frac{1}{2}$, $\dfrac{1}{2}$, $\tfrac{1}{2}$.

`\frac{1}{2}`

`\dfrac{1}{2}`

`\tfrac{1}{2}`

Similarly, `\binom`, `\dbinom`, `\tbinom` for binomial coefficient (i.e. n choose k)

$\binom{n}{k}$, $\dbinom{n}{k}$, $\tbinom{n}{k}$.

`\binom{n}{k}`

`\dbinom{n}{k}`

`\tbinom{n}{k}`

3.4 Math Fonts

Command	Name	Samples				Package
<code>\mathrm</code>	roman	ABCDE	abcde	12345	$\alpha\omega\Omega$	
<code>\mathsf</code>	sans serif	ABCDE	abcde	12345	$\alpha\omega\Omega$	
<code>\mathtt</code>	typewriter	ABCDE	abcde	12345	$\alpha\omega\Omega$	
<code>\mathit</code>	italic	<i>ABCDE</i>	<i>abcde</i>	<i>12345</i>	$\alpha\omega\Omega$	
<code>\mathbf</code>	bold font	ABCDE	abcde	12345	$\alpha\omega\Omega$	
<code>\bm</code>	bold symbol	<i>ABCDE</i>	<i>abcde</i>	12345	$\alpha\omega\Omega$	bm
<code>\mathbb</code>	blackboard	$\mathbb{A}\mathbb{B}\mathbb{C}\mathbb{D}\mathbb{E}$				
<code>\mathcal</code>	calligraphic	$\mathcal{A}\mathcal{B}\mathcal{C}\mathcal{D}\mathcal{E}$				
<code>\mathfrak</code>	frak	$\mathfrak{A}\mathfrak{B}\mathfrak{C}\mathfrak{D}\mathfrak{E}$	$\mathfrak{a}\mathfrak{b}\mathfrak{c}\mathfrak{d}\mathfrak{e}$	12345		amsfonts, amssymb
<code>\mathnormal</code>	normal	<i>ABCDE</i>	<i>abcde</i>	12345	$\alpha\omega\Omega$	amsfonts, amssymb

3.5 Functions

Functions to typeset in roman

<code>\sin</code>	<code>\cos</code>	<code>\tan</code>	<code>\sec</code>	<code>\csc</code>	<code>\cot</code>
<code>\sinh</code>	<code>\cosh</code>	<code>\tanh</code>			<code>\coth</code>
<code>\arcsin</code>	<code>\arccos</code>	<code>\arctan</code>			
<code>\exp</code>	<code>\lg</code>	<code>\ln</code>	<code>\log</code>		
<code>\min</code>	<code>\max</code>	<code>\arg</code>			
<code>\inf</code>	<code>\sup</code>				
<code>\liminf</code>	<code>\limsup</code>	<code>\lim</code>			
<code>\det</code>	<code>\ker</code>	<code>\dim</code>			
<code>\gcd</code>	<code>\deg</code>	<code>\hom</code>	<code>\Pr</code>		

User-defined (see mgates.sty file)

`\sech` `\cond` `\range` `\rank`

Limits specified in subscript: `\lim_{n \to 0}` is $\lim_{n \rightarrow 0}$.

To add new functions, for example $\text{rank}(A)$, use `\DeclareMathOperator{\rank}{rank}`. The starred version `\DeclareMathOperator*` makes functions with limits like `\lim`.

Modular arithmetic has 4 variants. This expression means “5 is congruent to 1, modulo 2.”

$5 \equiv 1 \pmod{2}$	<code>5 &\equiv 1 \pmod{2} \\</code>
$5 \equiv 1 \text{ mod } 2$	<code>5 &\equiv 1 \mod 2 \\</code>
$5 \equiv 1 (2)$	<code>5 &\equiv 1 \pod 2</code>

Denote the modulo operation of finding the remainder with `= equals` and the binary `bmod`,

$1 = 5 \text{ mod } 2.$	<code>1 = 5 \bmod 2.</code>
-------------------------	-----------------------------

3.6 Accents and over/under commands

\hat{x} <code>\hat{x}</code>	\tilde{x} <code>\tilde{x}</code>	\dot{x} <code>\dot{x}</code>	\acute{x} <code>\acute{x}</code>	\vec{x} <code>\vec{x}</code>
\check{x} <code>\check{x}</code>	\bar{x} <code>\bar{x}</code>	\ddot{x} <code>\ddot{x}</code>	\grave{x} <code>\grave{x}</code>	\breve{x} <code>\breve{x}</code>

The wide and over/under commands span multiple elements. The over/underbrace also take super/subscripts for a description. Note the over/underset take two arguments, not a super/subscript, and are backwards of over/underbrace.

\widehat{xyz} <code>\widehat{xyz}</code>	\widetilde{xyz} <code>\widetilde{xyz}</code>
\overline{xyz} <code>\overline{xyz}</code>	\underline{xyz} <code>\underline{xyz}</code>
\overleftarrow{xyz} <code>\overleftarrow{xyz}</code>	\underleftarrow{xyz} <code>\underleftarrow{xyz}</code>
\overrightarrow{xyz} <code>\overrightarrow{xyz}</code>	\underrightarrow{xyz} <code>\underrightarrow{xyz}</code>
\overleftrightarrow{xyz} <code>\overleftrightarrow{xyz}</code>	$\underleftrightarrow{xyz}$ <code>\underleftrightarrow{xyz}</code>
\overbrace{xyz}^a <code>\overbrace{xyz}^a</code>	\underbrace{xyz}_a <code>\underbrace{xyz}_a</code>
$\overset{a}{xyz}$ <code>\overset{a}{xyz}</code>	$\underset{a}{xyz}$ <code>\underset{a}{xyz}</code>

3.7 Greek

In English alphabetic order

α	<code>\alpha</code>	A	A	
β	<code>\beta</code>	B	B	
χ	<code>\chi</code>	C	C	
δ	<code>\delta</code>	Δ	<code>\Delta</code>	
ϵ	<code>\epsilon</code>	E	E	ε <code>\varepsilonpsilon</code>
η	<code>\eta</code>	H	H	
γ	<code>\gamma</code>	Γ	<code>\Gamma</code>	F <code>\digamma</code>
ι	<code>\iota</code>	I	I	
κ	<code>\kappa</code>	K	K	
λ	<code>\lambda</code>	Λ	<code>\Lambda</code>	
μ	<code>\mu</code>	M	M	
ν	<code>\nu</code>	N	N	
ω	<code>\omega</code>	Ω	<code>\Omega</code>	
o	<code>o</code>	O	O (omicron)	
ϕ	<code>\phi</code>	Φ	<code>\Phi</code>	φ <code>\varphi</code>
π	<code>\pi</code>	Π	<code>\Pi</code>	ϖ <code>\varpi</code>
ψ	<code>\psi</code>	Ψ	<code>\Psi</code>	
ρ	<code>\rho</code>	P	P	ϱ <code>\varrho</code>
σ	<code>\sigma</code>	Σ	<code>\Sigma</code>	ς <code>\varsigma</code>
τ	<code>\tau</code>	T	T	
θ	<code>\theta</code>	Θ	<code>\Theta</code>	ϑ <code>\vartheta</code>
v	<code>\upsilon</code>	Υ	<code>\Upsilon</code>	
ξ	<code>\xi</code>	Ξ	<code>\Xi</code>	
ζ	<code>\zeta</code>	Z	Z	

Greek alphabetic order is

α β γ δ ϵ ζ η θ ι κ λ μ ν ξ π o ρ σ τ v ϕ χ ψ ω
 A B Γ Δ E Z H Θ I K Λ M N Ξ Π O P Σ T Υ Φ C Ψ Ω .

3.8 Hebrew

\aleph `\aleph`
 \beth `\beth`
 \gimel `\gimel`
 \daleth `\daleth`

3.9 Symbols

(A selective list. See the AMS *Short Math Guide* and the *Not So Short Introduction* for more exhaustive lists.)

Relationships (negate using `\not`)

$<$	<code><</code>	$>$	<code>></code>	$=$	<code>=</code>
\leq	<code>\le</code>	\geq	<code>\ge</code>	\equiv	<code>\equiv</code>
\ll	<code>\ll</code>	\gg	<code>\gg</code>	\sim	<code>\sim</code>
\subset	<code>\subset</code>	\supset	<code>\supset</code>	\approx	<code>\approx</code>
\subseteq	<code>\subseteq</code>	\supseteq	<code>\supseteq</code>		
\in	<code>\in</code>	\ni	<code>\ni, \owns</code>	\propto	<code>\propto</code>
\notin	<code>\notin</code>			\neq	<code>\neq</code>
\parallel	<code>\parallel</code>	\perp	<code>\perp</code>	\cong	<code>\cong</code>

Operators

$+$	<code>+</code>	$-$	<code>-</code>	\cdot	<code>\cdot</code>	\times	<code>\times</code>	\div	<code>\div</code>
\pm	<code>\pm</code>	\mp	<code>\mp</code>	\star	<code>\star</code>	$*$	<code>*</code> , <code>\ast</code>	\oslash	<code>\oslash</code>
\oplus	<code>\oplus</code>	\ominus	<code>\ominus</code>	\odot	<code>\odot</code>	\otimes	<code>\otimes</code>		
\cup	<code>\cup</code>	\cap	<code>\cap</code>	\setminus	<code>\setminus</code>				
\bigcup	<code>\bigcup</code>	\bigcap	<code>\bigcap</code>	\biguplus	<code>\biguplus</code>				
\vee	<code>\vee</code>	\wedge	<code>\wedge</code>	\neg	<code>\neg</code>				
\vee	<code>\lor</code>	\wedge	<code>\land</code>	\lnot	<code>\lnot</code>				
\sum	<code>\sum</code>	\prod	<code>\prod</code>	\coprod	<code>\coprod</code>				
\int	<code>\int</code>	\oint	<code>\oint</code>	\iint	<code>\iint</code>	\iiint	<code>\iiint</code>	$\int \cdots \int$	<code>\int \dots \int</code>
∂	<code>\partial</code>	∇	<code>\nabla</code>						

User-defined (see `mgates.sty`)

\int_{Ω}	<code>\int\Omega</code>	\int_{Γ_g}	<code>\int\Gamma_g</code>	\int_{Γ_h}	<code>\int\Gamma_h</code>	\int_{Ω^e}	<code>\int\Omega^e</code>		
\int_{Γ}	<code>\int\Gamma</code>	$\int_{\Gamma_g^e}$	<code>\int\Gamma_g^e</code>	$\int_{\Gamma_h^e}$	<code>\int\Gamma_h^e</code>	$\int_{\Gamma_h^e}$	<code>\int\Gamma_h^e</code>		
dx	<code>\dx</code>	dy	<code>\dy</code>	dz	<code>\dz</code>	dr	<code>\dr</code>	dt	<code>\dt</code>
$d\Omega$	<code>\d\Omega</code>	$d\Gamma$	<code>\d\Gamma</code>	$d\theta$	<code>\d\theta</code>				
∂f	<code>\p f</code>	∇f	<code>\del f</code>	∇f	<code>\grad f</code>	$\nabla \cdot f$	<code>\divr f</code>	$\nabla \times f$	<code>\curl f</code>
\cup	<code>\union</code>	\cap	<code>\inter</code>	$f \circ g$	<code>\compose</code>				

Limits are specified as sub- and superscripts: $\sum_{i=0}^n$ is `\sum_{i=0}^n`.

Roots use `\sqrt`, with optional radix

$$\sqrt{2} \quad \sqrt[3]{2}$$

Misc symbols

\leftarrow	<code>\gets</code>	\rightarrow	<code>\to</code>	\mapsto	<code>\mapsto</code>	\iff	<code>\iff</code>		
\dots	<code>\dots</code>	\cdots	<code>\cdots</code>	\vdots	<code>\vdots</code>	\ddots	<code>\ddots</code>	\cdot	<code>\cdot</code>
\Re	<code>\Re</code>	\Im	<code>\Im</code>						
\forall	<code>\forall</code>	\exists	<code>\exists</code>	\nexists	<code>\nexists</code>	\therefore	<code>\therefore</code>	\because	<code>\because</code>
\emptyset	<code>\emptyset</code>	∞	<code>\infty</code>	\hbar	<code>\hbar</code>	\wp	<code>\wp</code>		
\angle	<code>\angle</code>	\triangle	<code>\triangle</code>	\square	<code>\square</code>	\diamond	<code>\Diamond</code>		

User-defined (see mgates.sty file)

\mathbf{x}	<code>\xx</code>	\mathbf{y}	<code>\yy</code>	\mathbf{f}	<code>\ff</code>	$\mathbf{0}$	<code>\0 (zero)</code>		
\mathbf{A}	<code>\A</code>	\mathbf{I}	<code>\I</code>	\mathbf{J}	<code>\J</code>	\mathbf{K}	<code>\K</code>	\mathbf{M}	<code>\M</code>
\mathbb{R}	<code>\Real</code>	\mathbb{C}	<code>\Complex</code>	\mathbb{I}	<code>\Imag</code>	$\operatorname{Re}(x)$	<code>\re{x}</code>	$\operatorname{Im}(x)$	<code>\im{x}</code>
\mathbb{N}	<code>\Natural</code>	\mathbb{Z}	<code>\Integer</code>	\mathbb{Q}	<code>\Rational</code>	\mathbb{P}	<code>\Poly</code>		
Δt	<code>\Dt</code>	$\frac{1}{2}$	<code>\half</code>	\Rightarrow	<code>\implies</code>				

Arrows	L	R	LR	LL	LR	LLR	U	D	UD
<code>\leftarrow</code>	\leftarrow	\rightarrow	\leftrightarrow	\longleftarrow	\longrightarrow	\longleftrightarrow	\uparrow	\downarrow	\updownarrow
<code>\Leftarrow</code>	\Leftarrow	\Rightarrow	\Leftrightarrow	\Lleftarrow	\Rrightarrow	\Lleftrightarrow	\Uparrow	\Downarrow	\Updownarrow
<code>\hookrightarrow</code>	\hookrightarrow	\hookleftarrow							
<code>\leftharpoonup</code>	\leftharpoonup	\rightharpoonup	\rightleftharpoons						
<code>\leftharpoondown</code>	\leftharpoondown	\rightharpoondown							

Substitute

left, right, leftright,
 longleft, longright, longleftright,
 up, down, updown

for *left* in the command to get the desired direction and length. Note `\leftrightharpoons` is plural. There are many more variants available; see the AMS *Short Math Guide*.

For putting super/subscripts on arrows, use

$$A \xleftarrow{a+b} B \xrightarrow[c-d]{a-b} C$$

`A \xleftarrow{a+b} B \xrightarrow[c-d]{a-b} C`

See also accents on page 20 for arrows above/below elements.

3.10 Brackets and delimiters

Left	Right	Common	User-defined pairing (see mgates.sty)
(())		$\left(\frac{x}{y}\right)$ <code>\parens{...}</code>
[[]]		$\left[\frac{x}{y}\right]$ <code>\brackets{...}</code>
{ \{	} \}		$\left\{\frac{x}{y}\right\}$ <code>\braces{...}</code>
⟨ \langle	⟩ \rangle		$\left\langle\frac{x}{y}\right\rangle$ <code>\angles{...}</code>
⌊ \lfloor	⌋ \rfloor		$\left\lfloor\frac{x}{y}\right\rfloor$ <code>\floor{...}</code>
⌈ \lceil	⌉ \rceil		$\left\lceil\frac{x}{y}\right\rceil$ <code>\ceil{...}</code>
\lvert	\rvert	, \vert	$\left \frac{x}{y}\right $ <code>\abs{...}</code>
\lVert	\rVert	\l , \lVert	$\left\ \frac{x}{y}\right\ $ <code>\norm{...}</code>
/ /	\ \backslash		

Use paired `\leftdelimiter` and `\rightdelimiter` to resize delimiters to fit their contents. To use delimiter on only one side, use invisible `\left.` or `\right.` for other side. (Doesn't work across lines in multiline equations.)

AMS provides cases for piecewise function:

$$\delta_{ij} = \begin{cases} 0, & i = j, \\ 1, & \text{else.} \end{cases} \quad \begin{array}{l} \delta_{ij} = \begin{cases} 0, & \& i=j, \\ 1, & \& \text{\text{else}}. \end{cases} \\ \end{array}$$

Non-AMS convention is to use an array:

$$\delta_{ij} = \begin{cases} 0, & i = j, \\ 1, & \text{else.} \end{cases} \quad \begin{array}{l} \delta_{ij} = \left\{ \begin{array}{l} 0, & \& i=j, \\ 1, & \& \text{\text{else}}. \end{array} \right. \\ \end{array}$$

3.11 Matrices

AMS provides 4 matrix environments differing in delimiters, and 1 for small inline matrices.

Example	AMS command	User-defined shortcut
$\begin{matrix} 1 & 2 \\ 3 & 4 \end{matrix}$	<code>\begin{matrix}</code> 1 & 2 \\ 3 & 4 <code>\end{matrix}</code>	
$\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$	<code>\begin{bmatrix}</code> 1 & 2 \\ 3 & 4 <code>\end{bmatrix}</code>	<code>\mat{</code> 1 & 2 \\ 3 & 4 <code>}</code>
$\begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$	<code>\begin{pmatrix}</code> 1 & 2 \\ 3 & 4 <code>\end{pmatrix}</code>	<code>\pmat{</code> 1 & 2 \\ 3 & 4 <code>}</code>
$\begin{Bmatrix} 1 & 2 \\ 3 & 4 \end{Bmatrix}$	<code>\begin{Bmatrix}</code> 1 & 2 \\ 3 & 4 <code>\end{Bmatrix}</code>	<code>\qmat{</code> 1 & 2 \\ 3 & 4 <code>}</code>
Inline $\begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$ matrix.	<code>\left[</code> <code>\begin{smallmatrix}</code> 1 & 2 \\ 3 & 4 <code>\end{smallmatrix}</code> <code>\right]</code>	<code>\smat{</code> 1 & 2 \\ 3 & 4 <code>}</code>

Non-AMS convention is to use an array. This has the advantage of allowing vertical and horizontal lines to partition the matrix.

$\begin{bmatrix} 1 & 2 & & 3 & 4 \\ \hline 3 & 4 & & 5 & 6 \end{bmatrix}$	<code>\left[\begin{array}{cc cc}</code> 1 & 2 & \\ \hline 3 & 4 & \\ <code>\end{array} \right]</code>
---	---

`array` is similar to `tabular` but in the math environment.

4 Bibliography using BibTeX

There are 2 ways to make a bibliography: create a BibTeX database, or manually format it. BibTeX can automatically format various citation and bibliography styles, eliminating tedious manual re-formatting. Multiple tex files can use the same BibTeX database, eliminating redundant data entry. I'll give notes for BibTeX first, but include manual formatting at the end for completeness.

4.1 Enabling BibTeX

In your .tex file set the bibliography style (e.g. plain) and BibTeX database (e.g. references.bib). For plainnat, abbrvnat, unsrnat, and custom-bib styles add `\usepackage{natbib}`. For apalike add `\usepackage{apalike}`.

```
\bibliographystyle{plain}
\bibliography{references.bib}
```

Style	Sort	Labels	Notes
plain	by author	numeric, like [1]	
plainnat	by author	numeric or author-year	<code>\usepackage{natbib}</code>
abbrv	by author	numeric	abbreviates authors and journals
abbrvnat	by author	numeric or author-year	<code>\usepackage{natbib}</code>
alpha	by author	alphanumeric, like [SJL05]	
unsrt	as cited	numeric	
unsrnat	as cited	numeric or author-year	<code>\usepackage{natbib}</code>
apalike	by author	author-year, like [Smith 2005]	<code>\usepackage{apalike}</code>
custom-bib	asks questions	to generate custom bibliography style	

To change the title of the bibliography section (e.g. to “References”) use

```
\renewcommand{\refname}{References}    (for articles)
\renewcommand{\bibname}{References}    (for reports and books)
```

To compile the bibliography, run latex, then bibtex, then latex twice more! (What were they thinking when they designed this program?)

```
latex file.tex
bibtex file.tex
latex file.tex
latex file.tex
```

4.2 Bibliography formats

These are common styles. Many more are available, or use `custom-bib` to build one to match your needs or a journal's demands.

References, for style plain

- [1] Nicolas Markey. *Tame the BeaST*, 2005.
- [2] Mark Smith, Adam Jones, and Wei Lee. Caffeine usage in Chicago. *Journal of Coffee Drinkers*, 6:121–142, 2005.

References, for style unsrt

- [1] Mark Smith, Adam Jones, and Wei Lee. Caffeine usage in Chicago. *Journal of Coffee Drinkers*, 6:121–142, 2005.
- [2] Nicolas Markey. *Tame the BeaST*, 2005.

References, for style abbrv

- [1] N. Markey. *Tame the BeaST*, 2005.
- [2] M. Smith, A. Jones, and W. Lee. Caffeine usage in Chicago. *Journal of Coffee Drinkers*, 6:121–142, 2005.

References, for style alpha

- [Mar05] Nicolas Markey. *Tame the BeaST*, 2005.
- [S JL05] Mark Smith, Adam Jones, and Wei Lee. Caffeine usage in Chicago. *Journal of Coffee Drinkers*, 6:121–142, 2005.

References, for style apalike

- Markey, N. (2005). *Tame the BeaST*.
- Smith, M., Jones, A., and Lee, W. (2005). Caffeine usage in Chicago. *Journal of Coffee Drinkers*, 6:121–142.

4.3 Citation formats and natbib

`\cite` makes a citation and includes its entry in the bibliography. Natbib recommends using `\citep` and `\citet` instead.

`\citep` makes a parenthetical citation such as [2] or (Gates, 2011).

`\citet` makes a textual citation such as Gates [2] or Gates (2011).

`\nocite{name}` includes an entry in the bibliography without citing it.

`\nocite{*}` includes *all* BibTeX entries in the bibliography.

The natbib package provides the `\citet`, `\citep`, and other variants. To use natbib, add it to the preamble, and choose a natbib-compatible style. It has extensive commands and options; see the natbib documentation.

```
\usepackage[options]{natbib}
\bibliographystyle{plainnat}
```

Some natbib package options:

Option	Description
round	round parenthesis ()
square	square brackets []
authoryear	author-year citations
numbers	numeric citations
super	superscript numeric citations

The original plain, unsrt, abbrv make the top 3 numeric citations. Depending on its options, natbib can generate author-year, numeric citations, or superscript citations (not shown).

Command	author-year citation	numeric citation
<code>\cite{Smith05}</code>	Smith et al. (2005)	[3]
<code>\cite{Smith05,Markey05}</code>	Smith et al. (2005); Markey (2005)	[3, 2]
<code>\cite[p. 135]{Smith05}</code>	(Smith et al., 2005, p. 135)	[3, p. 135]
<code>\citet{Smith05}</code>	Smith et al. (2005)	Smith et al. [3]
<code>\citet*{Smith05}</code>	Smith, Jones, and Lee (2005)	Smith, Jones, and Lee [3]
<code>\citep{Smith05}</code>	(Smith et al., 2005)	[3]
<code>\citep*{Smith05}</code>	(Smith, Jones, and Lee, 2005)	[3]
<code>\citeauthor{Smith05}</code>	Smith et al.	Smith et al.
<code>\citeyear{Smith05}</code>	2005	2005
<code>\citeyearpar{Smith05}</code>	(2005)	[2005]

Command	apalike citation	alpha citation
<code>\cite{Smith05}</code>	(Smith et al., 2005)	[SJL05]
<code>\cite{Smith05,Markey05}</code>	(Smith et al., 2005; Markey, 2005)	[SJL05, Mar05]
<code>\cite[p. 135]{Smith05}</code>	(Smith et al., 2005, p. 135)	[SJL05, p. 135]

4.4 BibTeX database

A .bib file contains the bibliography database. Each entry has a unique name that is referenced by `\cite`, and multiple field=value pairs terminated with commas. Values should be in "... " quotes. Acronyms and proper names that *must* be capitalized in titles, put in {...} braces. Abbreviations can be made using @STRING.

Author and editor names are either “First von Last” or “von Last, First”, separated by “and”. For *et al.* use “and others”.

Various other peculiarities are dealt with in [3].

See table 2 for entry types and fields. Here is an example:

```
@STRING{ JCD = "Journal of Coffee Drinkers" }
@Article{ Smith05,
  author   = "Mark Smith and Adam Jones and Wei Lee",
  title    = "Caffeine usage in {Chicago}",
  journal  = JCD
  year     = 2005,
  volume   = 6,
  pages    = "121--142",
}
```

4.5 Manually formatted bibliographies

For manual formatting, instead of `\bibliographystyle` and `\bibliography`, use `thebibliography` environment. The argument is the widest label, here “SJL05”, so it can be indented properly. `\bibitem` takes the label as an optional argument; otherwise the label is just numeric.

```
\begin{thebibliography}{SJL05}

\bibitem[SJL05]{Smith05}
M. Smith, A. Jones, and W. Lee.
\newblock{Caffeine usage in Chicago.}
\newblock \emph{Journal of Coffee Drinkers} 2005; \textbf{6}:121--142.

\end{thebibliography}
```

(BibTeX builds `thebibliography` in a .bbl file, based on the current style. Thus if a BibTeX style is not quite right, you can use BibTeX to build the bibliography until the final edits, then copy the .bbl file into the .tex file and make final tweaks manually.)

Field	@Article	@Book	@Booklet	@InBook	@InCollection	@InProceedings	@Manual	@Misc	@PhdThesis / @MastersThesis	@Proceedings	@TechReport	@Unpublished	Example
address		o	o	o	o	o	o	o	o	o	o		"New York, NY"
author	x	or	o	or	x	x	o	o	x		x	x	"Mark Smith"
booktitle					x	x							"Multigrid Methods"
chapter				or	o								"2.1"
edition		o		o	o								"Second"
editor		or		or	o	o				o			"Mark Smith"
institution											x		"Intel"
journal	x												"Acta Numerica"
month	o	o	o	o	o	o	o	o	o	o	o	o	5 (e.g. May)
note	o	o	o	o	o	o	o	o	o	o	o	x	"In press"
number	o	o		o	o	o				o			1
organization						o	o			o			"SIAM"
pages	o			or	o	o				o			"73--130"
publisher		x		x	x	o				o			"Wiley"
school								o					"Yale University"
series		o		o	o	o				o			"In a Nutshell"
title	x	x	x	x	x	x	x	o	x	x	x	x	"Algebraic Multigrid"
type				o	o				o		o		"Research note"
volume	o	o		o	o	o				o			3
year	x	x	o	x	x	x	o	o	x	x	x	o	1987
howpublished			o					o				o	
url													"http://example.com"

Table 2: BibTeX entry types and associated fields. x is required, or is choice between 2 required fields, o is optional. url is not recognized by the classical plain, alpha, unsrt styles, but is supported by some newer styles.

Todo

theorems, lemmas, proofs, etc.

References

- [1] Patrick Daly. *Natural Sciences Citations and References*, 2006.
- [2] Michael Downes. *Short Math Guide for LaTeX*. American Mathematical Society, 2002.
- [3] Nicolas Markey. *Tame the BeaST: the B to X of BibTeX*, 2005.
- [4] Tobias Oetiker, Hubert Partl, Irene Hyna, and Elisabeth Schlegl. *Not So Short Introduction to LaTeX2e*, 2008.